

---

## CONTENTS

---

|  |            |
|--|------------|
| <b>Contributors</b>  | <b>xxv</b> |
| <b>Chapter One Aerodynamics</b>  | <b>1</b>   |
| <b>CHAPTER SUMMARY . . . . .</b>   | <b>2</b>   |
| PRELIMINARY RESULTS OF FLOW FLUCTUATION                                  |            |
| MEASUREMENTS IN THE CRYOGENIC TRANSONIC WIND                             |            |
| TUNNEL   |            |
| <i>V. N. Zinov'yev, V. A. Lebiga, A. Yu. Pak, and J. Quest . . . . .</i> | 3          |
| 1 Introduction . . . . .   | 3          |
| 2 Experimental Background . . . . .                                      | 4          |
| 3 Results and Discussions . . . . .                                      | 8          |
| 4 Concluding Remarks . . . . .   | 12         |
| Acknowledgments . . . . .  | 13         |
| References . . . . .   | 13         |
| TEMPERATURE SENSITIVE PAINT APPLICATION                                  |            |
| FOR INVESTIGATION OF BOUNDARY LAYER TRANSITION                           |            |
| IN SHORT-DURATION WIND TUNNELS   |            |
| <i>V. Borovoy, V. Mosharov, A. Noev, and V. Radchenko . . . . .</i>      | 15         |
| 1 Background . . . . .   | 15         |
| 2 Experimental Facility and the Model . . . . .                          | 17         |
| 3 Measurement System . . . . .   | 18         |
| 4 Results . . . . .  | 19         |
| 5 Concluding Remarks . . . . .   | 24         |
| Acknowledgments . . . . .  | 24         |
| References . . . . .   | 24         |
| SIMULATION OF AFTERBODY TRANSONIC FLOWS USING                            |            |
| PARTIALLY-AVERAGED NAVIER-STOKES MODEL                                   |            |
| FOR TURBULENCE   |            |
| <i>D. Deprés and P. Brenner . . . . .</i>                                | 25         |
| 1 Introduction . . . . .   | 25         |
| 2 Turbulence Modeling Adapted to Unsteady Flows . . . . .                | 26         |

|   |  |    |
|---|--|----|
| 3   | Methodology . . . . .  | 28 |
| 4   | Computational Results . . . . .  | 32 |
| 5   | On a Working Logic to Improve Partially-Averaged<br>Navier-Stokes Calculations . . . . . | 37 |
| 6   | Concluding Remarks . . . . .   | 39 |
|   | Acknowledgments . . . . .  | 39 |
|   | References . . . . .   | 40 |
| FLOW STRUCTURE AND TURBULENCE IN NEAR FIELDS<br>OF CIRCULAR AND NONCIRCULAR JETS                                      |  |    |
|   | <i>N. E. Öcer, G. Taşar, O. Uzol, and S. Özgen</i> . . . . .                             | 41 |
| 1   | Introduction . . . . .   | 41 |
| 2   | Experimental Setup and Methodology . . . . .   | 42 |
| 3   | Results . . . . .  | 45 |
| 4   | Concluding Remarks . . . . .   | 51 |
|   | Acknowledgments . . . . .  | 51 |
|   | References . . . . .   | 51 |
| AIRCRAFT DYNAMIC LATERAL STABILITY ANALYTIC<br>FORMULATION FOR DUTCH ROLL MODE STABILITY<br>PREDICTION                |  |    |
|   | <i>M. J. Bazile and M. F. Calderara</i> . . . . .  | 53 |
|   | Nomenclature . . . . .   | 53 |
| 1   | Introduction . . . . .   | 54 |
| 2   | Remind of Some Longitudinal Considerations<br>About Dynamic Stability . . . . .          | 54 |
| 3   | Lateral Flight Mechanic Model . . . . .  | 55 |
| 4   | Lateral Stability Criteria . . . . .   | 57 |
| 5   | Use of the Method for A/C Design Phase . . . . .   | 60 |
| 6   | Concluding Remarks . . . . .   | 61 |
|   | References . . . . .   | 62 |
| A JOINT NUMERICAL AND EXPERIMENTAL STUDY<br>OF THE JET OF AN AIRCRAFT ENGINE INSTALLATION<br>WITH ADVANCED TECHNIQUES |  |    |
|   | <i>V. Brunet, P. Molton, H. Bézard, S. Deck, and L. Jacquin</i> . . . . .                | 63 |
| 1   | Introduction . . . . .   | 63 |
| 2   | Experimental Setup and Flow Conditions . . . . .   | 64 |
| 3   | Numerical Simulations . . . . .  | 67 |

---

|  |   |            |
|--|---|------------|
| 4  | Engine Jet Development . . . . .  | 69         |
| 5  | Concluding Remarks and Perspectives . . . . .   | 76         |
|  | References . . . . .  | 77         |
| <br>PROPAGATION OF DISTURBANCE IN BOUNDARY LAYER<br>ON PLANAR DELTA WING IN THE STRONG INTERACTION<br>REGIME |   |            |
|  | <i>G. N. Dudin</i> . . . . .  | 79         |
| 1  | Formulation of the Problem . . . . .  | 79         |
| 2  | Determining Characteristics Surfaces in Time-Dependent<br>Three-Dimensional Flows . . . . . | 82         |
| 3  | Results of the Numerical Analysis . . . . .   | 86         |
|  | Acknowledgments . . . . .   | 87         |
|  | References . . . . .  | 88         |
| <br>EXPLICIT ALGEBRAIC REYNOLDS STRESS MODELS<br>FOR ANISOTROPIC WALL-BOUNDED FLOWS                          |   |            |
|  | <i>F. R. Menter, A. V. Garbaruk, and Y. Egorov</i> . . . . .                                | 89         |
| 1  | Introduction . . . . .  | 89         |
| 2  | Model Formulation . . . . .   | 91         |
| 3  | Flow Solver . . . . .   | 95         |
| 4  | Test Cases . . . . .  | 95         |
| 5  | Summary . . . . .   | 102        |
|  | Acknowledgments . . . . .   | 103        |
|  | References . . . . .  | 103        |
| <br><b>Chapter Two     Shock Interaction</b>   |   | <b>105</b> |
| <b>CHAPTER SUMMARY</b> . . . . .   |   | 106        |
| <br>LOW AND HIGH ENTHALPY SHOCK WAVE / BOUNDARY LAYER<br>INTERACTIONS AROUND CYLINDER-FLARE MODELS           |   |            |
|  | <i>B. Chanetz</i> . . . . .   | 107        |
| 1  | Introduction . . . . .  | 107        |
| 2  | Low Enthalpy Laminar Interaction . . . . .  | 108        |
| 3  | Low Enthalpy Transitional Interaction . . . . .   | 111        |
| 4  | Low Enthalpy Turbulent Interaction . . . . .  | 114        |
| 5  | High Enthalpy Interaction . . . . .   | 115        |
| 6  | Concluding Remarks . . . . .  | 117        |
|  | References . . . . .  | 118        |

NUMERICAL PREDICTION OF THREE-DIMENSIONAL  
SHOCK-INDUCED TURBULENT FLOW SEPARATION  
SURROUNDING BODIES OF REVOLUTION ADJACENT  
TO A FLAT SURFACE

|  |     |
|--|-----|
| <i>A. D. Grosvenor, A. A. Zheltovodov, and E. K. Derunov</i> . . . . .                                       | 119 |
| 1    Introduction . . . . .  | 119 |
| 2    Experimental Test Conditions . . . . .  | 121 |
| 3    Numerical Scheme . . . . .  | 122 |
| 4    Numerical Model . . . . .   | 122 |
| 5    Discussion of Predictions and Comparison<br>of Measurements with Computational Fluid Dynamics . . . . . | 124 |
| 6    Shock Capturing Options . . . . .   | 136 |
| 7    Concluding Remarks . . . . .  | 139 |
| Acknowledgments . . . . .  | 139 |
| References . . . . .   | 139 |

EFFECT ON A SHOCK WAVE BOUNDARY LAYER  
INTERACTION OF AIR JET VORTEX GENERATORS

|  |     |
|--|-----|
| <i>L. J. Souverein and J.-F. Debièvre</i> . . . . .                            | 141 |
| 1    Introduction . . . . .  | 141 |
| 2    Experimental Arrangement and Flow Conditions . . . . .                    | 142 |
| 3    Modification of the Upstream Boundary Layer<br>by Air Injection . . . . . | 145 |
| 4    Modification of Separation . . . . .                                      | 149 |
| 5    Modification of the Shock Dynamics . . . . .                              | 152 |
| 6    Results of Recapitulation . . . . .                                       | 153 |
| 7    Concluding Remarks . . . . .  | 155 |
| Acknowledgments . . . . .  | 155 |
| References . . . . .   | 155 |

NUMERICAL STUDY OF THREE-DIMENSIONAL  
MODULATIONS IN A SHOCK-INDUCED SEPARATION

|  |     |
|--|-----|
| <i>L. Agostini, L. Larchevêque, E. Garnier, and E. De Martel</i> . . . . . | 157 |
| 1    Introduction . . . . .  | 157 |
| 2    Numerical Method and Computational Setup . . . . .                    | 158 |
| 3    Validation . . . . .  | 159 |
| 4    Results . . . . .   | 165 |
| 5    Concluding Remarks and Future Works . . . . .                         | 167 |
| Acknowledgments . . . . .  | 168 |
| References . . . . .   | 168 |

---

 NUMERICAL SIMULATION OF SHOCK-INDUCED SEPARATED  
 FLOWS IN OVEREXPANDED ROCKET NOZZLES

|   |     |
|---|-----|
| <i>A. Shams, S. Girard, and P. Comte</i>              | 169 |
| 1 Introduction  | 170 |
| 2 Phenomenology of Separated Flows                    | 172 |
| 3 Description of the Computations                     | 173 |
| 4 Formation of the Cap-Shock Pattern                  | 176 |
| 5 Evolution of the Restricted Shock Separation Regime | 181 |
| 6 Concluding Remarks                                  | 188 |
| Acknowledgments                                       | 189 |
| References  | 189 |

**Chapter Three High Enthalpy Flows** 191
**CHAPTER SUMMARY** . . . . . 192

 DEVELOPMENT OF A COMPACT ELECTRON BEAM  
 FLUORESCENCE INSTRUMENT FOR HIGH ENTHALPY  
 FLOW CHARACTERIZATION

|   |     |
|---|-----|
| <i>B. Diop, A. Mohamed, and J. Bonnet</i> | 193 |
| 1 Introduction                            | 193 |
| 2 Prototype for In-Flight Measurements    | 196 |
| 3 Laboratory Prototype                    | 198 |
| 4 Experimental Details and Results        | 199 |
| 5 Concluding Remarks                      | 203 |
| Acknowledgments                           | 204 |
| References                                | 204 |

 ACTIVE CONTROL OF HYPERSONIC SHOCK LAYER  
 DISTURBANCES

|  |     |
|--|-----|
| <i>T. V. Poplavskaya and A. A. Maslov</i>      | 205 |
| 1 Introduction                                 | 205 |
| 2 Numerical Formulation of the Problem         | 206 |
| 3 Experimental Equipment and Diagnostic Method | 207 |
| 4 Results                                      | 208 |
| 5 Concluding Remarks                           | 214 |
| Acknowledgments                                | 215 |
| References                                     | 215 |

 EVALUATION OF NONEQUILIBRIUM BOUNDARY  
 CONDITIONS FOR HYPERSONIC RAREFIED GAS FLOWS

|  |     |
|--|-----|
| <i>N. T. P. Le, Ch. J. Greenshields, and J. M. Reese</i> | 217 |
| 1 Introduction   | 217 |
| 2 Review of Nonequilibrium Boundary Conditions           | 219 |

|   |   |     |
|---|---|-----|
| 3 | Numerical Implementation and Simulation Results . . . . . | 221 |
| 4 | Results . . . . .   | 224 |
| 5 | Concluding Remarks . . . . .                              | 229 |
|   | Acknowledgments . . . . .                                 | 229 |
|   | References . . . . .                                      | 229 |

EXPERIMENTAL STUDY AND NUMERICAL MODELING  
OF VIBRATIONAL OXYGEN TEMPERATURE PROFILES  
BEHIND A STRONG SHOCK WAVE FRONT

*I. E. Zabelinskii, L. B. Ibraguimova, O. P. Shatalov,  
and Yu. V. Tunik* . . . . . 231

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .  | 231 |
| 2 | Determination of the Vibrational Oxygen Temperature . . .                             | 233 |
| 3 | Time Histories of the Vibrational Temperature . . . . .                               | 236 |
| 4 | Preliminary Results of the Simulation and Comparison<br>with the Experiment . . . . . | 238 |
| 5 | Concluding Remarks . . . . .  | 241 |
|   | Acknowledgments . . . . .   | 242 |
|   | References . . . . .  | 242 |

HYPersonic LAMINAR/TURBULENT TRANSITION:  
COMPUTATIONS AND EXPERIMENTS

*E. Orlik, V. Kornilov, M. Ferrier, I. Fedioun, and D. Davidenko* 243

|   |   |     |
|---|---|-----|
| 1 | Introduction . . . . .                                    | 243 |
| 2 | Flat Plate Experiments and Associated $N$ Factors . . . . | 244 |
| 3 | Transition on the Forebody in T-313: Numerical Prediction | 247 |
| 4 | Concluding Remarks and Perspectives . . . . .             | 249 |
|   | References . . . . .                                      | 252 |

DEPENDENCE AND SENSITIVITY  
ON THE AEROTHERMOCHEMICAL MODEL  
OF ATMOSPHERIC REENTRY TRAJECTORIES

*A. Viviani, L. Savino, and G. Pezzella* . . . . . 253

|   |  |     |
|---|--|-----|
| 1 | Introduction . . . . .                         | 253 |
| 2 | Preliminary Capsule Reentry Scenario . . . . . | 255 |
| 3 | Reentry Trajectory Dispersion . . . . .        | 256 |
| 4 | Computational Analysis . . . . .               | 258 |
| 5 | Reaction Mechanisms . . . . .                  | 258 |
| 6 | Numerical Results . . . . .                    | 260 |

---

|  |   |     |
|--|---|-----|
| 7  | Analysis of the Capsule Reentry Trajectory Dispersion . . . . . | 262 |
| 8  | Concluding Remarks . . . . .                                    | 264 |
|  | References . . . . .  | 266 |
| <br>CHEMICAL NONEQUILIBRIUM EFFECTS IN THE WAKE<br>OF AN OBSTACLE IN HYPERSONIC BOUNDARY-LAYER FLOWS   |   |     |
| <i>M. Birrer and C. Stemmer</i>  |   | 267 |
| 1  | Introduction . . . . .  | 267 |
| 2  | Numerical Details . . . . .                                     | 268 |
| 3  | Simulations . . . . .   | 269 |
| 4  | Results . . . . .   | 271 |
| 5  | Concluding Remarks . . . . .                                    | 273 |
|  | Acknowledgments . . . . .                                       | 276 |
|  | References . . . . .  | 276 |
| <br>AEROTHERMODYNAMICS OF EXPERT BALLISTIC VEHICLE<br>AT HYPERSONIC SPEEDS   |   |     |
| <i>A. M. Kharitonov, N. P. Adamov, V. F. Chirkashenko, I. I. Mazhul,<br/>S. I. Shpak, A. N. Shiplyuk, L. G. Vasenyov, V. I. Zvegintsev,<br/>and J. M. Muylaert</i> |   | 277 |
| 1  | Introduction . . . . .  | 277 |
| 2  | Experimental Conditions . . . . .                               | 278 |
| 3  | Total Aerodynamic Characteristics . . . . .                     | 280 |
| 4  | Boundary Layer Transition . . . . .                             | 284 |
| 5  | Pressure Distribution over the Surface . . . . .                | 286 |
| 6  | Distribution of Heat Fluxes on the Surface . . . . .            | 290 |
| 7  | Concluding Remarks . . . . .                                    | 292 |
|  | References . . . . .  | 293 |
| <br>EXPERIMENTS ON HYPERSONIC BOUNDARY LAYER<br>TRANSITION ON BLUNT CONES<br>WITH ACOUSTIC-ABSORPTION COATING  |   |     |
| <i>A. Shiplyuk, S. Lukashevich, D. Bountin, A. Maslov,<br/>and H. Knaus</i>  |   | 295 |
|  | Nomenclature . . . . .  | 295 |
| 1  | Introduction . . . . .  | 296 |
| 2  | Model . . . . .   | 297 |
| 3  | Experimental Results . . . . .                                  | 298 |
| 4  | Concluding Remarks . . . . .                                    | 303 |
|  | References . . . . .  | 303 |

|   |            |
|---|------------|
| <b>Chapter Four Heat Transfer</b>   | <b>305</b> |
| <b>CHAPTER SUMMARY . . . . .</b>  | <b>306</b> |
| LAMINAR-TURBULENT FLOW AROUND A WEDGE PLACED<br>ON SHARP AND BLUNTED PLATES   |            |
| <i>V. Borovoy, V. Mosharov, V. Radchenko, and A. Noev . . . . .</i>   | 307        |
| 1 Introduction . . . . .  | 307        |
| 2 Model and Flow Characteristics . . . . .  | 308        |
| 3 Measurement Methods . . . . .   | 310        |
| 4 Investigation of Heat Transfer and Flow Structure . . . . .   | 313        |
| 5 Concluding Remarks . . . . .  | 319        |
| Acknowledgments . . . . .   | 319        |
| References . . . . .  | 319        |
| THE TANGENTIAL GAS INJECTION AS THE MEANS<br>OF HEAT PROTECTION OF A BLUNT BODY STREAMLINED<br>BY DUSTED GAS                                  |            |
| <i>E. B. Vasilevskiy and L. V. Yakovleva . . . . .</i>  | 321        |
| Nonstandard Nomenclature . . . . .  | 321        |
| 1 Introduction . . . . .  | 322        |
| 2 Model . . . . .   | 323        |
| 3 Supply System of the Injected Gas into the Model . . . . .  | 325        |
| 4 Creating of Dusted Flow in the Wind Tunnel . . . . .  | 326        |
| 5 Particles . . . . .   | 329        |
| 6 Experimental Results . . . . .  | 331        |
| 7 Concluding Remarks . . . . .  | 333        |
| Acknowledgments . . . . .   | 333        |
| References . . . . .  | 333        |
| EXPERIMENTAL STUDIES OF PRE-X VEHICLE HEAT<br>TRANSFER IN PGU-7 TEST FACILITY   |            |
| <i>R. V. Kovalev, V. V. Kislykh, A. E. Kolozeznij,<br/>V. V. Kudryavtsev, V. P. Marinin, V. I. Vlasov,<br/>and B. A. Zemliansky . . . . .</i> | 335        |
| 1 Introduction . . . . .  | 335        |
| 2 Experimental Tools . . . . .  | 337        |
| 3 Measurement Technique . . . . .   | 341        |
| 4 Experimental Results . . . . .  | 343        |
| 5 Concluding Remarks . . . . .  | 349        |
| Acknowledgments . . . . .   | 349        |
| References . . . . .  | 349        |

---

|   |     |
|---|-----|
| SIMULATION OF OXYGEN ATOM HETEROGENEOUS RECOMBINATION ON $\text{Al}_2\text{O}_3$ FROM <i>AB INITIO</i> APPROACH<br><i>V. L. Kovalev, A. A. Kroupnov, M. Ju. Pogosbekian,<br/>and L. P. Sukhanov . . . . .</i> | 351 |
| 1    Introduction . . . . .   | 351 |
| 2    Quasi-Classical Trajectory Methodology . . . . .   | 353 |
| 3    Potential Energy Surface Calculation Methodology . . . . .   | 356 |
| 4    Results and Discussions . . . . .  | 358 |
| Acknowledgments . . . . .   | 363 |
| References . . . . .  | 363 |
| THE METHODOLOGY FOR DETERMINATION OF CATALYTIC PROPERTIES OF SiC SAMPLES FOR SPECIFIED PRE-X AND MSRO CONDITIONS<br><i>V. I. Sakharov, A. F. Kolesnikov, A. N. Gordeev, and J.-L. Vérant . . . . .</i>        | 365 |
| 1    Introduction . . . . .   | 365 |
| 2    Numerical Modeling . . . . .   | 367 |
| 3    PRE-X Duplicated Air Conditions . . . . .  | 369 |
| 4    Mars Sample Return Orbiter Duplicated $\text{CO}_2$ Conditions . . . . .   | 375 |
| 5    Concluding Remarks . . . . .   | 378 |
| Acknowledgments . . . . .   | 379 |
| References . . . . .  | 379 |
| NAVIER-STOKES ANALYSIS OF SCALE EFFECTS ON ABLATION IN CARBON-CARBON ROCKET NOZZLES<br><i>D. Bianchi, F. Nasuti, E. Martelli, and M. Onofri . . . . .</i>   | 381 |
| 1    Introduction . . . . .   | 381 |
| 2    Theoretical Model . . . . .  | 383 |
| 3    Numerical Procedure . . . . .  | 384 |
| 4    Results . . . . .  | 385 |
| 5    Concluding Remarks . . . . .   | 392 |
| Acknowledgments . . . . .   | 393 |
| References . . . . .  | 393 |
| PECULIARITIES OF FLOW AND HEAT TRANSFER IN THE BASE REGION OF GENERIC MODEL OF MARTIAN DESCENT VEHICLE<br><i>V. Ya. Borovoy, I. V. Egorov, D. V. Ivanov, and A. S. Skuratov . . . . .</i>                     | 395 |
| 1    Introduction . . . . .   | 395 |
| 2    Experimental Technique . . . . .   | 396 |
| 3    Numerical Simulation . . . . .   | 397 |

|  |   |            |
|--|---|------------|
| 4  | Results and Discussion . . . . .  | 398        |
|  | Acknowledgments . . . . .   | 402        |
|  | References . . . . .  | 402        |
| <b>Chapter Five Aeroacoustics</b>  |   | <b>403</b> |
| <b>CHAPTER SUMMARY . . . . .</b>   |   | <b>404</b> |
| ACOUSTIC ENVIRONMENT RESULTING IN INTERACTION<br>OF LAUNCH VEHICLE MAIN ENGINES JETS WITH A LAUNCH<br>PAD HAVING CLOSED LONG DUCTS LIKE A TUNNEL |   |            |
|  | <i>V. V. Kudryavtsev and A. V. Safronov</i> . . . . .   | 405        |
| 1  | Introduction . . . . .  | 405        |
| 2  | Problem Statement . . . . .   | 407        |
| 3  | Acoustic Model of Jet Interaction with Closed Long Duct   | 408        |
| 4  | Multinozzle and Multiduct Configurations . . . . .  | 414        |
| 5  | Results of Calculations and Their Validation . . . . .  | 416        |
| 6  | Concluding Remarks . . . . .  | 418        |
|  | Acknowledgments . . . . .   | 419        |
|  | References . . . . .  | 419        |
| REYNOLDS NUMBER EFFECT IN A PROBLEM OF SOUND<br>GENERATION BY ROUND AND TRUNCATED CYLINDER<br>STREAMLINED BY TURBULENT FLOW                      |   |            |
|  | <i>V. Kopiev, M. Zaitsev, and N. Ostrikov</i> . . . . .   | 421        |
| 1  | Introduction . . . . .  | 421        |
| 2  | Results . . . . .   | 422        |
| 3  | Concluding Remarks . . . . .  | 427        |
|  | References . . . . .  | 428        |
| DEVELOPMENT OF A FREE ROUND JET AT DIFFERENT<br>CONDITIONS AT THE NOZZLE EXIT UNDER AN ACOUSTIC<br>ACTION  |   |            |
|  | <i>Yu. A. Litvinenko, G. R. Grek, G. V. Kozlov, A. M. Sorokin,<br/>and M. V. Litvinenko</i> . . . . . | 429        |
| 1  | Introduction . . . . .  | 429        |
| 2  | Experimental Setup and Measurement Procedure . . . . .  | 431        |
| 3  | Measurement and Visualization Data . . . . .  | 434        |
| 4  | Discussion . . . . .  | 443        |

---

|  |            |
|--|------------|
| 5 Concluding Remarks . . . . .   | 446        |
| Acknowledgments . . . . .  | 447        |
| References . . . . .   | 447        |
| <b>Chapter Six Flow Control</b>  | <b>449</b> |
| <b>CHAPTER SUMMARY</b> . . . . .   | 450        |
| CONVECTIVE INSTABILITIES IN A BACKWARD-FACING STEP FLOW: GLOBAL FORCED PERTURBATIONS |            |
| <i>O. Marquet and D. Sipp</i> . . . . .  | 451        |
| 1 Introduction . . . . .   | 451        |
| 2 Noise Amplification and Frequency Selection . . . . .                              | 452        |
| 3 Linear Frequency Approach . . . . .  | 455        |
| References . . . . .   | 459        |
| ADJOINT-BASED CONTROL OF AFTERBODY FLOW UNSTEADINESS IN THE COMPRESSIBLE REGIME      |            |
| <i>Ph. Meliga, D. Sipp, and J.-M. Chomaz</i> . . . . .                               | 461        |
| 1 Introduction . . . . .   | 461        |
| 2 Theoretical Framework . . . . .  | 462        |
| 3 Results . . . . .  | 466        |
| 4 Concluding Remarks and Perspectives . . . . .                                      | 469        |
| References . . . . .   | 470        |
| MODEL REDUCTION AND CONTROL OF A SEPARATING BOUNDARY-LAYER FLOW                      |            |
| <i>U. Ehrenstein, P.-Y. Passaggia, and F. Gallaire</i> . . . . .                     | 471        |
| 1 Introduction . . . . .   | 471        |
| 2 Flow Configuration and Numerical Model . . . . .                                   | 472        |
| 3 Bi-Orthogonal and Least-Square Projection . . . . .                                | 476        |
| 4 Control Results . . . . .  | 479        |
| 5 Concluding Remarks . . . . .   | 481        |
| References . . . . .   | 481        |
| ASYMPTOTICAL MODELS OF BOUNDARY LAYER FLOW CONTROL                                   |            |
| <i>I. I. Lipatov</i> . . . . .   | 483        |
| 1 Local Surface Heating . . . . .  | 483        |
| 2 Flows Near Porous Walls . . . . .  | 487        |
| References . . . . .   | 489        |

**GLOBAL STABILITY ANALYSIS — A KEY ENABLER  
IN REDUCED ORDER MODELS AND FLOW CONTROL**

|  |     |
|--|-----|
| <i>M. Morzyński, W. Stankiewicz, F. Thiele, B. R. Noack,<br/>and G. Tadmor</i> . . . . . | 491 |
| 1    Introduction . . . . .  | 491 |
| 2    Empirical Galerkin Model . . . . .  | 492 |
| 3    Global Flow Stability Eigenmodes . . . . .  | 493 |
| 4    Improvements of the Galerkin Model . . . . .  | 494 |
| 5    Least-Order Galerkin Model of NACA-0012 Airfoil Flow . .                            | 497 |
| 6    Concluding Remarks . . . . .  | 499 |
| Acknowledgments . . . . .  | 501 |
| References . . . . .   | 501 |

**REDUCED ORDER MODELS FOR CLOSED LOOP CONTROL:  
COMPARISON BETWEEN POD, BPOD, AND GLOBAL MODES**

|   |     |
|---|-----|
| <i>A. Barbagallo, D. Sipp, and P. J. Schmid</i> . . . . .   | 503 |
| 1    Introduction . . . . .                                 | 503 |
| 2    Configuration and Mathematical Modeling . . . . .      | 504 |
| 3    Model Reduction . . . . .                              | 505 |
| 4    Input–Output Behavior of the Stable Subspace . . . . . | 508 |
| 5    Linear Quadratic Gaussian Control and Comparison . .   | 510 |
| 6    Concluding Remarks . . . . .                           | 512 |
| References . . . . .  | 512 |

**INVESTIGATION OF CROSS FLOW FORCES INFLUENCE  
ON INCOMPRESSIBLE LAMINAR FLOW**

|   |     |
|---|-----|
| <i>M. N. Kogan and A. A. Basalaev</i> . . . . .                                   | 513 |
| 1    Problem Definition . . . . .   | 513 |
| 2    Flow Under the Action of Cross Forces in a Linear<br>Approximation . . . . . | 514 |
| 3    Vertical Forces in a Duct . . . . .  | 514 |
| 4    Flow in a Duct Under Action of Three-Dimensional Cross<br>Forces . . . . .   | 516 |
| 5    Concluding Remarks . . . . .   | 518 |
| Acknowledgments . . . . .   | 520 |

**NUMERICAL MODELING OF SEPARATED FLOWS  
IN THREE-DIMENSIONAL DIFFUSERS AND APPLICATION  
OF SYNTHETIC JETS FOR SEPARATION CONTROL**

|  |     |
|--|-----|
| <i>S. Yu. Krasheninnikov, D. E. Pudovikov, and S. A. Torohov</i> . .             | 521 |
| 1    Design Flow Study in an Annular Duct<br>by the RANS/URANS Methods . . . . . | 522 |

---

|  |   |     |
|--|---|-----|
| 2  | Application of Synthetic Jets for Separated Flow Control                              | 524 |
| 3  | Concluding Remarks . . . . .  | 528 |
|  | Acknowledgments . . . . .   | 528 |
|  | References . . . . .  | 528 |
| EXPERIMENTAL AND NUMERICAL STUDIES               |   |     |
| OF NONEQUILIBRIUM EFFECTS IN FRAMEWORK           |   |     |
| OF MAGNETOHYDRODYNAMIC PARACHUTE CONCEPT         |   |     |
|  | V. A. Bityurin, A. N. Bocharov, N. A. Popov, and D. S. Baranov                        | 529 |
| 1  | Introduction . . . . .  | 529 |
| 2  | Problem Setup . . . . .   | 531 |
| 3  | Governing Equations . . . . .   | 533 |
| 4  | Chemical Kinetics Model . . . . .   | 535 |
| 5  | Initial and Boundary Conditions . . . . .   | 536 |
| 6  | Computational Details . . . . .   | 536 |
| 7  | Results . . . . .   | 536 |
| 8  | Experimental Test on the Nonequilibrium Ionization<br>Due to Magnetic Field . . . . . | 540 |
| 9  | Concluding Remarks . . . . .  | 542 |
|  | Acknowledgments . . . . .   | 543 |
|  | References . . . . .  | 543 |
| STUDY OF THE INCIPIENT SPOT BREAKDOWN CONTROLLED |   |     |
| BY RIBLETS                                       |   |     |
|  | V. G. Chernoray, G. R. Grek, V. V. Kozlov, and Yu. A. Litvinenko                      | 545 |
| 1  | Introduction . . . . .  | 545 |
| 2  | Experimental Setup and Measurement Procedure . . . . .                                | 547 |
| 3  | Results of Measurements . . . . .   | 549 |
| 4  | Concluding Remarks . . . . .  | 555 |
|  | Acknowledgments . . . . .   | 555 |
|  | References . . . . .  | 555 |
| FLOW CONTROL IN A SUPERSONIC INLET MODEL         |   |     |
| BY ELECTRICAL DISCHARGE                          |   |     |
|  | S. Leonov, D. Yarantsev, and F. Falempin . . . . .                                    | 557 |
| 1  | Introduction . . . . .  | 557 |
| 2  | Experimental Approach . . . . .   | 558 |
| 3  | Discharge Parameters . . . . .  | 561 |

|   |  |     |
|---|--|-----|
| 4 | Experimental Results . . . . .                           | 562 |
| 5 | The First Shock Angle and Position Versus Plasma Power . | 565 |
| 6 | Concluding Remarks . . . . .                             | 566 |
|   | Acknowledgments . . . . .                                | 567 |
|   | References . . . . .                                     | 567 |

|                     |            |
|---------------------|------------|
| <b>Author Index</b> | <b>569</b> |
|---------------------|------------|

|                     |          |
|---------------------|----------|
| <b>Color Plates</b> | <b>I</b> |
|---------------------|----------|